


Operating Notes to NL and SL Chains

- In dusty environment, there is a possibility that premature wear can occur. If the chain is exposed to water, oil impregnated in bushing, will come out, thus promoting wear.
- If oil comes out completely from bushing, rapid wear is caused, shortening service life.



KCM Chain No.	Pitch P	Width between Inner Plates W	Roller Dia. D	PIN				Link Plate			Average tensile strength kgf KN (kgf)	Maximum allowable Load KN (kgf)	Approx weight (kg/m)	Links of 1 Unit
				diameter d	A	(A+A) L1	(A+B) L2	Thickness T	Thickness t	Width H				
40 SL	12.7	7.95	7.95	3.97	9.53	17.55	18.95	1.5	1.5	11.7	1,350(13.2)	230(2.25)	0.58	240
50 SL	15.875	9.53	10.16	5.09	11.60	21.75	23.00	2.0	2.0	14.6	2,100(20.6)	360(3.52)	0.97	192
60 SL	19.05	12.70	11.91	5.96	14.15	26.8	29.45	2.4	2.4	17.5	3,200(31.4)	540(5.28)	1.41	160

Dimensions (Millimeters)