







Shore Hardness	
A	40.5
B	55.65
C	65.75



Size/Part No.	Shore Hardness	Type	Max Compressive Load(kg)	STATIC DEFL (mm)	Thread Size	Bolt/Nut
F 13x13	a	1	4.5	1	3/16"BSW x 13L	3/16"BSW x 4 Deep
F 16x13	A	1	4.3	1	M5x0.8P x12L	M5x0.8P x5 Deep
		3				
F 16x15	A	1	4.1	1	M5x0.8P x12L	M5x0.8P x5 Deep
		2	4.3			
		3	4.5			
F 19x19	A	1	17	3	M6x1P x18L	M6 x 1P x6 Deep
	B	2	28			
F 20x20	A	1	55	4	M6x1P x15L	M6x1P x15L Deep
	B	2	55			
	C	3	55			
F 20x25	A	1	9.8	3	M6x1P x 18L M6*	M6 x 1P x 6 Deep
		4	30.5			-
	B	2	18			M6 x 1P x 6 Deep
		4	65			-
	C	3	30			M6 x 1P x 6 Deep
		4	89.5			-
F 25X20	A	1	33.8	3.5	M6 x 1P x 13L M6*	M6 x 1P x 6 Deep
		4	36			
	B	2	55			M6 x 1P x 6 Deep
		4	54			
	C	3	80			M6 x 1P x 6 Deep
		4	66			



Size/Part No.	Shore Hardness	Type	Max Compressive Load(kg)	STATIC DEFL (mm)	Thread Size	Bolt/Nut
F 25X22	A	2	50	3.5	M8 x 1.25P x 1 8L	M8 x 1.25P x 7 Deep
F 25X30	A	1	13.8	3	M8 x 1.25P x 18 M6*	M8 x 1.25P x 7 Deep
		4	55			-
	B	2	23			M8 x 1.25P x 7 Deep
		4	98			-
	C	3	32			M8 x 1.25P x 7 Deep
		4	120			-
F 30x20	A	4	42	2.5	M8*	-
	B		62			
	C		82			
F 30X22	A	1	46	3.5	M8 x 1.25P x 23L	M8 x 1.25P x 7 Deep
		2	46			
F 30X30	A	1	21	3	M8 x 1.25P x 23L M8*	M8 x 1.25P x 7 Deep
		2	23			-
		3	23			-
		4	44			-
	B	4	77			-
	C		108			-
F 30x40	A	4	49.5	8	M8*	-
	B		86			
	C		131			
F 35X25	A	1	15	1.5	M10 x 1.5P x 38L	M10 x 1.5P x 10 Deep
	B	2	27			
	C	3				
F 38X25	A	1	65	4	M8 x 1.25P x 18L	M8 x 1.25P x 7 Deep
	B	2	127			
	C	3	165			
F 38X38	A	1	61	6	M8 x 1.25P x 18L	M8 x 1.25P x 7 Deep
	B		78			
	C		100			
F 40x30	A	4	60.5	5	M8 x 1.25P x 23L M8*	-
	B	1	108			M8 x 1.25P x 7 Deep
		2	108			-
		3	108			-
		4	114			-
	c	4	195			-
F 40x40	A	1	65	6	M10 x 1.5P x 38L M8	M10 x 1.5P x 10 Deep
		4	78			-
	B	2	93			M10 x 1.5P x 10 Deep
		4	148			-
	C	3	132			M10 x 1.5P x 10 Deep
		4	233			-



Size/Part No.	Shore Hardness	Type	Max Compressive Load(kg)	STATIC DEFL (mm)	Thread Size	Bolt/Nut
F 50x35	A	4	139.5	6	M10	-
	B		264			
	C		363			
F 50X40	A	1	83	5	M10 x 1.5P x 22L	M10 x 1.5P x 12 Deep
	B	2	149			
F 50X45	A	4	111.5	7	M10 x 1.5P x 25L M10*	-
	B	1	151			M10 x 1.5P x 12 Deep
		4	195			-
	C	4	244			-
F 50X50	A	1	71.5	7	M10 x 1.5P x 22L	M10 x 1.5P x 12 Deep
	B	2	132			
	C	3	202			
F 55X38	A	1	55	3	M10 x 1.5P x 32L	M10 x 1.5P x 12 Deep
	B	2	89			
F 60X50	A	1	112	6.5	M12 x 1.75P x 27L	M12 x 1.75P x 15 Deep
	B	2	201			
	C	3	285			
F 75X50	A	4	150	6.5	M10	-
	B	4	280			
	C	4	390			
F 75X55	A	1	178	6	M12 x 1.75P x 37L	M12 x 1.75P x 15 Deep
	B	2	292			
	C	3	443			
F 80X60	A	1	230	8	M12 x 1.75P x 30L	M12 x 1.75P x 20 Deep
	B	2	352			
	C	3	505			
F 100X55	A	1	324	6	M16 x 2P x 43L	M16 x 2P x 20 Deep

NB. Relevant for Type 4 Female-Female Mounts – see Stud Details table for further information

Stud Details

Stud Part No.	Threads		Dimensions		
	A	B	C	D	E
M10XM10	M10 x 1.5	M10 x 1.5	10	25	37
M10XM12	M10 x 1.5	M12 x 1.75	10	35	49
M6XM6	M6 x 1.0	M6 x 1.0	6	15	21
M6XM8	M6 x 1.0	M8 x 1.25	6	20	28
M8XM10	M8 x 1.25	M10 x 1.5	8	25	35
M8XM8	M8 x 1.25	M8 x 1.25	8	20	28

All Studs are continuous threads.

