


# Metric Glacier Bushes



Unit: mm

| Part No.   | OD Tolerance |        | ID After Fitted | Wall Thickness | L +0.025<br>-0.025 | Housing Bore (H7) |        | Shaft Dia (f7) |        | f1      | f2      |
|------------|--------------|--------|-----------------|----------------|--------------------|-------------------|--------|----------------|--------|---------|---------|
| MB0610DU   | 8            | +0.055 | 6.055           | 1.005          | 10                 | 8                 | +0.015 | 6              | -0.010 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.025 | 5.990           | 0.998          |                    |                   | 0      |                | -0.022 |         |         |
| MB0808DU   | 10           | +0.055 | 8.055           | 1.005          | 8                  | 10                | +0.015 | 8              | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.025 | 7.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB0810DU   | 10           | +0.055 | 8.055           | 1.005          | 10                 | 10                | +0.015 | 8              | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.025 | 7.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB0812DU   | 10           | +0.055 | 8.055           | 1.005          | 12                 | 10                | +0.015 | 8              | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.025 | 7.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1010DU   | 12           | +0.065 | 10.058          | 1.005          | 10                 | 12                | +0.018 | 10             | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 9.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1012DU   | 12           | +0.065 | 10.058          | 1.005          | 12                 | 12                | +0.018 | 10             | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 9.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1013.5DU | 12           | +0.065 | 10.058          | 1.005          | 13.5               | 12                | +0.018 | 10             | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 9.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1015DU   | 12           | +0.065 | 10.058          | 1.005          | 15                 | 12                | +0.018 | 10             | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 9.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1020DU   | 12           | +0.065 | 10.058          | 1.005          | 20                 | 12                | +0.018 | 10             | -0.013 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 9.990           | 0.998          |                    |                   | 0      |                | -0.028 |         |         |
| MB1212DU   | 14           | +0.065 | 12.058          | 1.005          | 12                 | 14                | +0.018 | 12             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 11.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1215DU   | 14           | +0.065 | 12.058          | 1.005          | 15                 | 14                | +0.018 | 12             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 11.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1225DU   | 14           | +0.065 | 12.058          | 1.005          | 25                 | 14                | +0.018 | 12             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 11.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1415DU   | 16           | +0.065 | 14.058          | 1.005          | 15                 | 16                | +0.018 | 14             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 13.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1425DU   | 16           | +0.065 | 14.058          | 1.005          | 25                 | 16                | +0.018 | 14             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 13.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1510DU   | 17           | +0.065 | 15.058          | 1.005          | 10                 | 17                | +0.018 | 15             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 14.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1512DU   | 17           | +0.065 | 15.058          | 1.005          | 12                 | 17                | +0.018 | 15             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 14.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1515DU   | 17           | +0.065 | 15.058          | 1.005          | 15                 | 17                | +0.018 | 15             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 14.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1525DU   | 17           | +0.065 | 15.058          | 1.005          | 25                 | 17                | +0.018 | 15             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 14.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1530DU   | 17           | +0.065 | 15.058          | 1.005          | 30                 | 17                | +0.018 | 15             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 14.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1612DU   | 18           | +0.065 | 16.058          | 1.005          | 12                 | 18                | +0.018 | 16             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 15.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1615DU   | 18           | +0.065 | 16.058          | 1.005          | 15                 | 18                | +0.018 | 16             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 15.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1620DU   | 18           | +0.065 | 16.058          | 1.005          | 20                 | 18                | +0.018 | 16             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.030 | 15.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1720DU   | 19           | +0.075 | 17.061          | 1.005          | 20                 | 19                | +0.021 | 17             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.035 | 16.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1815DU   | 20           | +0.075 | 18.061          | 1.005          | 15                 | 20                | +0.021 | 18             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.035 | 17.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB1825DU   | 20           | +0.075 | 18.061          | 1.005          | 25                 | 20                | +0.021 | 18             | -0.016 | 0.6±0.3 | 0.3±0.2 |
|            |              | +0.035 | 17.990          | 0.998          |                    |                   | 0      |                | -0.034 |         |         |
| MB2015DU   | 23           | +0.075 | 20.071          | 1.505          | 15                 | 23                | +0.021 | 20             | -0.020 | 0.7±0.3 | 0.5±0.3 |
|            |              | +0.035 | 19.990          | 1.475          |                    |                   | 0      |                | -0.041 |         |         |
| MB2020DU   | 23           | +0.075 | 20.071          | 1.505          | 20                 | 23                | +0.021 | 20             | -0.020 | 0.7±0.3 | 0.5±0.3 |
|            |              | +0.035 | 19.990          | 1.475          |                    |                   | 0      |                | -0.041 |         |         |
| MB2025DU   | 23           | +0.075 | 20.071          | 1.505          | 25                 | 23                | +0.021 | 20             | -0.020 | 0.7±0.3 | 0.5±0.3 |
|            |              | +0.035 | 19.990          | 1.475          |                    |                   | 0      |                | -0.041 |         |         |
| MB2030DU   | 23           | +0.075 | 20.071          | 1.505          | 30                 | 23                | +0.021 | 20             | -0.020 | 0.7±0.3 | 0.5±0.3 |
|            |              | +0.035 | 19.990          | 1.475          |                    |                   | 0      |                | -0.041 |         |         |

# Metric Glacier Bushes

| Part No. | OD Tolerance | ID After Fitted | Wall Thickness | L +0.025 -0.025 | Housing Bore (H7) | Shaft Dia (f7) | f1 | f2     |         |         |
|----------|--------------|-----------------|----------------|-----------------|-------------------|----------------|----|--------|---------|---------|
| MB2035DU | 23           | +0.075          | 20.071         | 35              | 23                | +0.021         | 20 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 19.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2215DU | 25           | +0.075          | 22.071         | 15              | 25                | +0.021         | 22 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 21.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2220DU | 25           | +0.075          | 22.071         | 20              | 25                | +0.021         | 22 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 21.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2225DU | 25           | +0.075          | 22.071         | 25              | 25                | +0.021         | 22 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 21.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2415DU | 27           | +0.075          | 24.071         | 15              | 27                | +0.021         | 24 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 23.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2420DU | 27           | +0.075          | 24.071         | 20              | 27                | +0.021         | 24 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 23.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2425DU | 27           | +0.075          | 24.071         | 25              | 27                | +0.021         | 24 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 23.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2430DU | 27           | +0.075          | 24.071         | 30              | 27                | +0.021         | 24 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 23.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2515DU | 28           | +0.075          | 25.071         | 15              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2520DU | 28           | +0.075          | 25.071         | 20              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2525DU | 28           | +0.075          | 25.071         | 25              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2530DU | 28           | +0.075          | 25.071         | 30              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2540DU | 28           | +0.075          | 25.071         | 40              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2550DU | 28           | +0.075          | 25.071         | 50              | 28                | +0.021         | 25 | -0.020 | 0.7±0.3 | 0.5±0.3 |
|          |              | +0.035          | 24.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2820DU | 32           | +0.085          | 28.085         | 20              | 32                | +0.025         | 28 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 27.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB2825DU | 32           | +0.085          | 28.085         | 25              | 32                | +0.025         | 28 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 27.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3015DU | 34           | +0.085          | 30.085         | 15              | 34                | +0.025         | 30 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 29.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3020DU | 34           | +0.085          | 30.085         | 20              | 34                | +0.025         | 30 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 29.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3025DU | 34           | +0.085          | 30.085         | 25              | 34                | +0.025         | 30 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 29.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3030DU | 34           | +0.085          | 30.085         | 30              | 34                | +0.025         | 30 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 29.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3040DU | 34           | +0.085          | 30.085         | 40              | 34                | +0.025         | 30 | -0.020 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 29.990         |                 |                   | 0              |    | -0.041 |         |         |
| MB3230DU | 36           | +0.085          | 32.085         | 30              | 36                | +0.025         | 32 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 31.990         |                 |                   | 0              |    | -0.050 |         |         |
| MB3240DU | 36           | +0.085          | 32.085         | 40              | 36                | +0.025         | 32 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 31.990         |                 |                   | 0              |    | -0.050 |         |         |
| MB3520DU | 39           | +0.085          | 35.085         | 20              | 39                | +0.025         | 35 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 34.990         |                 |                   | 0              |    | -0.050 |         |         |
| MB3530DU | 39           | +0.085          | 35.085         | 30              | 39                | +0.025         | 35 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 34.990         |                 |                   | 0              |    | -0.050 |         |         |
| MB3540DU | 39           | +0.085          | 35.085         | 40              | 39                | +0.025         | 35 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 34.990         |                 |                   | 0              |    | -0.050 |         |         |
| MB3550DU | 39           | +0.085          | 35.085         | 50              | 39                | +0.025         | 35 | -0.025 | 1.2±0.4 | 0.5±0.3 |
|          |              | +0.045          | 34.990         |                 |                   | 0              |    | -0.050 |         |         |

# Metric Glacier Bushes

| Part No.   | OD Tolerance | ID After Fitted | Wall Thickness | L +0.025 -0.025 | Housing Bore (H7) | Shaft Dia (f7) | f1  | f2     |         |         |
|------------|--------------|-----------------|----------------|-----------------|-------------------|----------------|-----|--------|---------|---------|
| MB4026DU   | 44           | +0.085          | 40.085         | 26              | 44                | +0.025         | 40  | -0.025 | 1.2±0.4 | 0.5±0.3 |
|            |              | +0.045          | 39.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB4030DU   | 44           | +0.085          | 40.085         | 30              | 44                | +0.025         | 40  | -0.025 | 1.2±0.4 | 0.5±0.3 |
|            |              | +0.045          | 39.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB4048DU   | 44           | +0.085          | 40.085         | 48              | 44                | +0.025         | 40  | -0.025 | 1.2±0.4 | 0.5±0.3 |
|            |              | +0.045          | 39.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB4050DU   | 44           | +0.085          | 40.085         | 50              | 44                | +0.025         | 40  | -0.025 | 1.2±0.4 | 0.5±0.3 |
|            |              | +0.045          | 39.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB4520DU   | 50           | +0.085          | 45.105         | 20              | 50                | +0.025         | 45  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.045          | 44.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB4550DU   | 50           | +0.085          | 45.105         | 50              | 50                | +0.025         | 45  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.045          | 44.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB5030DU   | 55           | +0.100          | 50.110         | 30              | 55                | +0.030         | 50  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 49.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB5040DU   | 55           | +0.100          | 50.110         | 40              | 55                | +0.030         | 50  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 49.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB5050DU   | 55           | +0.100          | 50.110         | 50              | 55                | +0.030         | 50  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 49.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB5060DU   | 55           | +0.100          | 50.110         | 60              | 55                | +0.030         | 50  | -0.025 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 49.990         |                 |                   | 0              |     | -0.050 |         |         |
| MB6030DU   | 65           | +0.100          | 60.110         | 30              | 65                | +0.030         | 60  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 59.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6040DU   | 65           | +0.100          | 60.110         | 40              | 65                | +0.030         | 60  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 59.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6050DU   | 65           | +0.100          | 60.110         | 50              | 65                | +0.030         | 60  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 59.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6060DU   | 65           | +0.100          | 60.110         | 60              | 65                | +0.030         | 60  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 59.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6070DU   | 65           | +0.100          | 60.110         | 70              | 65                | +0.030         | 60  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 59.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6560DU   | 70           | +0.100          | 65.110         | 60              | 70                | +0.030         | 65  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 64.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB6570DU   | 70           | +0.100          | 65.110         | 70              | 70                | +0.030         | 65  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 64.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB7040DU   | 75           | +0.100          | 70.110         | 40              | 75                | +0.030         | 70  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 69.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB7050DU   | 75           | +0.100          | 70.110         | 50              | 75                | +0.030         | 70  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 69.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB7060DU   | 75           | +0.100          | 70.110         | 60              | 75                | +0.030         | 70  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 69.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB7560DU   | 80           | +0.100          | 75.110         | 60              | 80                | +0.030         | 75  | -0.030 | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.055          | 74.990         |                 |                   | 0              |     | -0.060 |         |         |
| MB8060DU   | 85           | +0.120          | 80.155         | 60              | 85                | +0.035         | 80  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 80.020         |                 |                   | 0              |     | -0.046 |         |         |
| MB8080DU   | 85           | +0.120          | 80.155         | 80              | 85                | +0.035         | 80  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 80.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB80100DU  | 85           | +0.120          | 80.155         | 100             | 85                | +0.035         | 80  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 80.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB8560DU   | 90           | +0.120          | 85.155         | 60              | 90                | +0.035         | 85  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 85.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB9060DU   | 95           | +0.120          | 90.155         | 60              | 95                | +0.035         | 90  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 90.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB9560DU   | 100          | +0.120          | 95.155         | 60              | 100               | +0.035         | 95  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 95.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB95100DU  | 100          | +0.120          | 95.155         | 100             | 100               | +0.035         | 95  | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 95.020         |                 |                   | 0              |     | -0.054 |         |         |
| MB100115DU | 105          | +0.120          | 100.155        | 115             | 105               | +0.035         | 100 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 100.020        |                 |                   | 0              |     | -0.054 |         |         |
| MB10060DU  | 105          | +0.120          | 100.155        | 60              | 105               | +0.035         | 100 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 100.020        |                 |                   | 0              |     | -0.054 |         |         |
| MB110115DU | 115          | +0.120          | 110.155        | 115             | 115               | +0.035         | 110 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.070          | 110.020        |                 |                   | 0              |     | -0.054 |         |         |

# Metric Glacier Bushes

| Part No.   | OD Tolerance | ID After Fitted | Wall Thickness | L +0.025 -0.025 | Housing Bore (H7) | Shaft Dia (f7) | f1  | f2     |         |         |
|------------|--------------|-----------------|----------------|-----------------|-------------------|----------------|-----|--------|---------|---------|
| MB11570DU  | 120          | +0.170          | 115.155        | 70              | 120               | +0.035         | 115 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 115.020        |                 |                   | 0              |     | -0.054 |         |         |
| MB120100DU | 125          | +0.170          | 120.210        | 100             | 125               | +0.04          | 120 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 120.070        |                 |                   | 0              |     | -0.054 |         |         |
| MB125100DU | 130          | +0.170          | 125.210        | 100             | 130               | +0.04          | 125 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 125.070        |                 |                   | 0              |     | -0.063 |         |         |
| MB130100DU | 135          | +0.170          | 130.210        | 100             | 135               | +0.04          | 130 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 130.070        |                 |                   | 0              |     | -0.063 |         |         |
| MB145100DU | 150          | +0.170          | 145.210        | 100             | 150               | +0.04          | 145 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 145.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB150100DU | 155          | +0.170          | 150.210        | 100             | 155               | +0.04          | 150 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 150.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB155100DU | 160          | +0.170          | 150.210        | 100             | 160               | +0.04          | 155 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 150.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB16060DU  | 165          | +0.170          | 160.210        | 60              | 165               | +0.04          | 160 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 160.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB160100DU | 165          | +0.170          | 160.210        | 100             | 165               | +0.04          | 160 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 160.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB165100DU | 170          | +0.170          | 165.210        | 100             | 170               | +0.04          | 165 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 165.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB170100DU | 175          | +0.170          | 170.210        | 100             | 175               | +0.04          | 170 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 170.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB175100DU | 180          | +0.170          | 175.210        | 100             | 180               | +0.04          | 175 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.100          | 175.020        |                 |                   | 0              |     | -0.063 |         |         |
| MB200100DU | 205          | +0.210          | 200.216        | 100             | 205               | +0.046         | 200 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.130          | 200.070        |                 |                   | 0              |     | -0.072 |         |         |
| MB220100DU | 225          | +0.210          | 220.216        | 100             | 225               | +0.046         | 220 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.130          | 220.070        |                 |                   | 0              |     | -0.072 |         |         |
| MB250100DU | 255          | +0.260          | 250.222        | 100             | 255               | +0.052         | 250 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.170          | 250.070        |                 |                   | 0              |     | -0.072 |         |         |
| MB300100DU | 305          | +0.260          | 300.222        | 100             | 305               | +0.052         | 300 | 0      | 1.8±0.6 | 0.6±0.3 |
|            |              | +0.170          | 300.070        |                 |                   | 0              |     | -0.081 |         |         |