



NA300 Series



NA

NA300 Series



NA

Shaft Dia		Dimensions										Basic Load ratings kN		Factor	Bearing no.	Dimensions								Set Screw Brg. Bore		Mass kg
mm	inch	D		B		B1		C		r (min.)		Cr	C0r	f 0		C1		S		S2		d1		G		
d		mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	inch	mm		inch	mm	inch	mm	inch	mm	inch	mm	inch	mm	
35		80	3.15	38.1	1.5	51.76	2.04	25	0.98	-	-	33.4	19.3	13.2	NA307	-	-	18.3	0.72	-	-	49	1.93	M14	1/2	-
40		90	3.54	41.3	1.62	57.1	2.25	28	1.10	-	-	40.7	24.0	13.2	NA308	-	-	19.8	0.78	-	-	56.5	2.22	M14	1/2	-
45		100	3.94	42.9	1.69	58.7	2.31	30	1.18	-	-	48.9	29.5	13.3	NA309	-	-	19.8	0.78	-	-	62	2.44	M16	5/8	-
50		110	4.33	49.2	1.94	66.6	2.62	32	1.26	-	-	62	38.3	13.2	NA310	-	-	24.6	0.96	-	-	69	2.71	M16	5/8	-
55		120	4.73	55.6	2.19	73	2.87	34	1.34	-	-	71.6	45	13.2	NA311	-	-	27.8	1.09	-	-	75	2.96	M16	5/8	-
60		130	5.12	59	2.32	76.5	3.01	36	1.42	-	-	81.9	52.2	13.2	NA312	-	-	29.5	1.16	-	-	81	3.19	M16	5/8	-
50.8	2	120	4.72	55.6	2.19	73	2.87	34	1.34	-	-	71.6	45	13.2	NA311-32	-	-	27.8	1.09	-	-	75	2.96	M20	3/4	-